



**The CPI EuroMix range includes other decorative products for a comprehensive design solution.**

## **Coloured Mortar**

Specify CPI EuroMix Coloured Mortars to ensure the highest quality brickwork that will complement perfectly the selected render finish.

## **Hydraulic Lime Render**

Our 'Traditional Choice' range of hydraulic lime mortars and renders is produced to the same high standards as our cement based products. Ideal for heritage projects, whether refurbishment or new build. Further details available on request.



Park Hotel,  
Mullingar



Firhill Secondary School,  
Edinburgh

## Colour Shade Guide

White



Pale Yellow



Strong Yellow



Pale Brown



Strong Brown



Pale Marigold




Strong Marigold



Pale Red



Strong Red



- The colours above represent a part of our extensive range, other colours are available on request.
- The colours illustrated are approximate shades and are intended as a guide only. We will be pleased to supply a free sample of the specified shade for use in a trial panel before final approval.

## Finish Options

EuroMix One Coat Render is generally applied in two passes, ruled to line and level and allowed to set. A variety of finishes may then be achieved:

**Scraped** – Once the render has reached initial set, but not hardened, a uniform textured finish is achieved by using a toothed scraper to remove the top surface.

**Polished** – A rough stone finish is achieved by polishing with a carborundum block 1-2 days after scraping.

**Tyrolean** – A thin coating of render is sprayed onto the floated render surface in a spattered pattern to achieve a rough textured finish.

**Ashlar cut** – Recessed grooves are formed using a special handsaw.





## Application Guidelines

### Spray Application

EuroMix Renders are specially formulated for spray application. This highly efficient system ensures a uniformly high quality decorative finish while delivering significant productivity improvements. Output rates of over 200m<sup>2</sup> per day are readily achieved which result in faster progress on the job and saving in scaffold time.

### Supply Options

The versatility of dry mortar technology means that users have a choice of supply options depending on site requirements:

- The high output and efficiency of a bulk silo feeding a remote spray machine by compressed air suits many larger projects.
- On restricted sites, the option of using a mini silo to feed the spray machine can be ideal.
- For ease of use and convenience, many users prefer to discharge 25kg bags directly into the spray machine.



### Conditions of Use

EuroMix Renders must be applied by an experienced contractor in accordance with the manufacturer's instructions and relevant National Standards and Codes of Practice. Correct design, detailing, site practice and workmanship are essential to ensure the best results are achieved. Operatives should be suitably skilled and familiar with the product.



## Further Resources

Further technical information and user instructions are available on request from your local CPI EuroMix sales office. Documents are also available for download from our website [www.euromix.com](http://www.euromix.com).

- Model NBS Specification Clauses
- Colour Shade Guides
  - One Coat Renders
  - Coloured Mortars
- Application Guide
  - One Coat Renders
  - Sprayed Concrete
- Material Safety Datasheet
  - Mortars & Renders
- BBA Agrément Certificate
- Product Datasheets
  - One Coat Renders
  - Dry Dash Receiver
  - General Purpose Renders
  - High Bond Renders
  - Masonry Mortars
  - Hydraulic Lime Mortars
  - Fine Concrete
  - Sprayed Concrete
  - Post Mix
  - FastSet Repair Mortar
  - Floor Screeds



**Beaconsfield**

Springfield Farm Quarry  
Broad Lane, Beaconsfield  
Buckinghamshire HP9 1XD  
Tel: +44 (0) 1494 730 134  
Fax: +44 (0) 1494 730 891

**Bilston, Wolverhampton**

Springvale Industrial Estate, Springvale Avenue  
Bilston, Wolverhampton  
West Midlands WV14 0QL  
Tel: +44 (0) 1902 357 500  
Fax: +44 (0) 1902 357 506

**Coatbridge**

Fountain Business Centre  
Ellis Street  
Coatbridge ML5 3AA  
Tel: +44 (0) 1236 700 600  
Fax: +44 (0) 1236 432 090

**Dublin**

Laraghcon  
Lucan  
Co. Dublin  
Tel: +353 (0)1 630 2700  
Fax: +353 (0)1 628 0331

**Harlow**

29 Mead Industrial Park  
Riverway, Harlow  
Essex CM20 2SE  
Tel: +44 (0) 1279 634 680  
Fax: +44 (0) 1279 445 621

**Irlam, Manchester**

Northbank Industrial Estate  
Martens Road, Irlam  
Manchester M44 5AX  
Tel: +44 (0) 161 7777 500  
Fax: +44 (0) 161 7777 501

**Northfleet**

Robins Wharf  
Grove Road, Northfleet  
Kent DA11 9AX  
Tel: +44 (0) 1474 331 555  
Fax: +44 (0) 1474 325 080

**Southampton**

Marchwood Industrial Park  
Marchwood, Southampton  
Hants SO40 4PB  
Tel: +44 (0) 2380 662 000  
Fax: +44 (0) 2380 669 077

**Severnside**

Unit 8, Severnside Industrial Park  
Central Avenue  
Bristol BS10 7SD  
Tel: +44 (0) 1474 331 555  
Fax: +44 (0) 1474 325 080



Helpline: **0845 850 9090** (UK) **01 630 2732** (Ireland) Visit us at: [www.euromix.com](http://www.euromix.com) E-mail: [info@cpieuromix.com](mailto:info@cpieuromix.com)

